REFERENCES:-

[1] Drews, (2000) “Drug discovery : A historical perspective” J. *Science*, *287*, 1960-1964

[2] Wess, G.; Urmann M.; Sickenberger, B. (2001) “Medicinal Chemistry : Challenges and opportunities” *Angew. Chem. Int. Ed*. *40*, 3341-3350.

[3] Lombardino, J. G.; Lowe III, J. A (2004) “The role of the medicinal chemistry in drug discover-then and now” *Nat. Rev. Drug Discov*. *3*, 10, 853-862.

[4] Kolbn H. C.; Finn, M. G.; Sharpless, K. B. (2001) “Click chemistry : Diverse chemical function from a few good reactions” *Angew. Chem. Int. Ed*. *40*, 2004-2021.

[5] Finberg RW, Moellering RC, Tally FP, et al. (2004). "The importance of bactericidal drugs: future directions in infectious disease". Clin. Infect. Dis., 39,9,1314–1320

[6] Casadevall A, Scharff MD (1995), "Return to the past: The case for antibody-based therapies in infectious diseases" Clin Infect Dis., 21,150–161.

[7] Puneet Sharma, Sanjay Garg, (2010), "Pure drug and polymer based nanotechnologies for the improved solubility, stability, bioavailability and targeting of anti-HIV drugs", Advanced Drug Delivery Reviews, 62, 491–502

[8] Samuel CE (2001), "Antiviral Actions of Interferons", Clin. Microbiol. Rev., 14 ,4, 778–809

[9] Jie Jack Li (2013), “Heterocyclic Chemistry in Drug Discovery”. New York: Wiley. ISBN 9781118354421.

[10] N. Panda, A. K. Jena, (2012) “Fe-catalezed one pot synthesis of 1,3-Di and 1,3,5-tri substituted pyrazoles from hydrazones and vicinal diols” J. Org. Chem., 77, 20, 9401-9406.

[11] Abdel-Rahman, A.H., Keshk, E.M. Hanna, M.A., El-Bady, S.M., (2004), "Synthesis and evaluation of some new spiro indoline-based heterocyclic as potentially active antimicrobial agents", *Bioorg. Med. Chem.*, 12, 2483–2488.

[12] Rai, U.S., Isloor A.M., Shetty P., Vijesh A.M., Prabhu N., Isloor S. Thiageeswaran M., Hoong-Kun F., (2010), "Novel chromeno [2,3b] Pyrimidine derivatives as potential anti-microbial agents", *Eur. J. Med. Chem.*, 45, 2695–2699.

[13] Sagar R., Moon-Ju K., Park S.B., (2008), "An improved synthesis of Pyrimidine- and pyrazole-based acyclo-C-nucleosides as carbohybrids", *Tetrahedron Lett.*, 49, 5080–5083.

[14] Gulyakevich, O. V.; Mikhal’chuk, A.L.; Akhrem, A.A. (1994), “Selected methods for the synthesis and modification of heterocycles” Russ. *Russian Journal of General Chemistry*, *64,* 1382.

[15] Reiter, J.; Pongo´, L.; Ko¨ vesdi, I.; Pallagi, I. (1995), “The reactions of 5-amino 1,2,4-triazoles with di and triketones” *Journal of Heterocyclic Chemistry*, *32*, 2, 407-417.

[16] El Ashry, E. S. H.; El Kilany, Y.; Rashed, N.; Mousaad, A.; Assafir, H. *Z.*(1998), “ Synthesis and dimroth rearrangement of 6-cyano 1,2,4-triazolo [3,4-a] pyramid-5-one and 7-ones: A novel alkylation with ortho

ester and a new participation of the cyano group in the rearrangement" *Zeitschrift für Naturforschung*, *53B*, 1203-1212.

[17] Lipunova, G. N.; Nosova, E. V.; Kodess, M. I.; Charushin, V. N.; Rozin, Y. A.; Chasovskikh, O. M.(2001) *Russ. Journal of Organic Chemistry*, *37*, 570.

[18] Krasovsky, A. L.; Moiseev, A. M.; Nenajdenko, V. G.; Balenkova, E. S. (2002), "Synthesis of new fluorine containing trizolo and tetrazolopyrimidines" *Synthesis*, 7, 901-905.

[19] Kuznetsova, O. A.; Filyakova, V. I.; Pashkevich, K. I.; Ulomskii, E. N.; Plekhanov, P. V.; Rusinov, G. L.; Kodess, M. I.; Rusinov, V. L. (2003), Fluorine *Russian Chemical Bulletin (Engl. Transl.) 52*.

[20] Shi, D.; Mou, J.; Zhuang, Q.; Niu, L.; Wu, N.; Wang, X. (2004), "Three component one pot synthesis of 1,4-dihydropyrano [2,3-c] pyrazole derivative in aqueous media" *Synthetic Communication 34,* 4557-4563.

[21] Al-Sheikh, M. A.; El-Din, A. M. S.; Hafez, E. A.; Elnagdi, M. H. (2004) *Journal of Chemical Research*, 174.

[22] Lipunova, G. N.; Nosova, E. V.; Laeva, A. A.; Kodess, M. I.; Charushin, V. N. (2005), "Fluoine containing heterocycles XII, Fluorine containing Quinazolin-4-ones and azolo quinazolinon derivatives" *Russian Journal of Organic Chemistry (Engl. Transl.)*, *41*, 7, 1071-1080.

[23] Safak, C.; Dogan, E.; Erol, K. (2006), *Turkish Journal of Chemistry***,** *30,* 109.

[24] Tu, S.; Zhang, J.; Zhu, X.; Zhang, Y.; Wang, Q.; Xu, J.; Jiang, B.; Jia, R.; Zhang, J.; Shi, F.(2006), “One pot synthesis of hexahydoquinolines via a four component cyclo condensation under microwave irradiation in solvent free condition ; A green chemistry strategy” *Journal of Heterocyclic Chemistry*, *43*, 4, 985-988.

[25] Bischoff, H.; Gielen-Haertwig, H.; Li, V.; Schmeck, C.; Thutewohl, M.; Vakolopoulos, A.; Weber, O.; Wuttke, M. (2006) *Ger Offen*, 25.

[26] Li, D.; Song, L.; Song’s.; Zhu, S. (2007), “Regioselective synthesis of 6-trifluoromethyl 1,4,5,6-tetrahydro pyrazolo [3,4-b] pyran derivatives” *Journal of Fluorine Chemistry 128*, 952-957.

[27] Lehmann, F.; Holm, M.; Laufer, S. (2008), “Three component combinationatorial synthesis of novel dihydropyrano [2,3-c] pyrazoles” *Journal of Combinatorial Chemistry 10*, 3, 364-367.

[28] Litvinov, Y. M.; Shestopalov, A. A.; Rodinovskaya, L. A.; Shestopalov, A. M. (2009), “A new convenient four component synthesis of 6-amino 2,4 4H-pyrano [2,3-c] pyrazole-5 carbonitriles and one pot synthesis of 6’-amino 5-cyano 1,2-dihydrospiro [13H] indole 3,4’- (4’H) pyrano [2,3-c] pyrazole 2-ones” *Journal of Combinatorial Chemistry 11,* 914-919.

[29] Ahmed M. Hussein, (2010), " Synthesis of some new purine-related compounds: Regioselective one-pot synthesis of new tetrazolo [1,5-a] Pyrimidine, pyrazolo [1,5-a] Pyrimidine and pyrimido [1,6-a] Pyrimidine derivatives ", Journal of Saudi Chemical Society, 14, 61–68

[30] Gien, V. L. (2011) “Synthesis of 4-N diaryl-2,7,7-trimethyl-5-oxo-1,4,5,6,7,8-hexahydro-3- quinoline carboxamides”; Chemistry of Heterocyclic compounds**,** 47, 6, 728-730

[31] N.M. Goudgaon, B.U. Sheshikant, (2013), "Synthesis of novel 2,4-bis(substituted phenoxy)-6-(phenylthio) Pyrimidine analogs and their

antimicrobial activities" , journal of pharmacy research, 7, 75-79

[32] Kikkeri N. Mohana, Basavapatna N. Prasanna Kumar ,Lingappa Mallesha, (2013), "Synthesis and biological activity of some Pyrimidine derivatives", drug invention today, 5, 216-222

[33] S.A. Al-Issa, (2013), "Synthesis and anticancer activity of some fused Pyrimidine and related heterocycles" , Saudi Pharmaceutical Journal, 21, 305–316

[34] Jumbad H. Tomma, Mustafa S. Khazaal, Ammar H. Al-Dujaili, (2014) "Synthesis and characterization of novel Schiff bases containing Pyrimidine unit", Arabian Journal of Chemistry, 7, 157–160